

Sediment - Category 4A Listings - DRAFT

<i>WRIA</i>	<i>Waterbody Name</i>	<i>Grid Cell Number or Twp-Rg-Sec</i>	<i>Combined Parameters</i>	<i>Basis</i>
1	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	48122H4D9	Mercury	Data from the Dept. of Ecology SEDQUAL database (stations H=STARR98!ANSS301; M=BIOEFF97!9B-2; L=STARR98!ANSS302) show the average of 3 samples exceeds the Sediment Management Standards CSL chemical criterion on 10/26/1998. Bellingham Bay TMDL approved 02-Jan-02.
1	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	48122H4E9	Mercury	Data from the Dept. of Ecology SEDQUAL database (stations H=WHATRI96!NR-101; M=WHATRI96!NR-100; L=WHATRI96!SC-75) show the average of 3 samples exceeds the Sediment Management Standards CSL chemical criterion on 9/17/1996. Bellingham Bay TMDL approved 02-Jan-02.
1	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	48122H5D0	Mercury	Data from the Dept. of Ecology SEDQUAL database (stations H=STARR98!ANSS303; M=STARR98!ANSS305; L=STARR98!ANSS306) show the average of 3 samples exceeds the Sediment Management Standards CSL chemical criterion on 10/26/1998. Bellingham Bay TMDL approved 02-Jan-02.
1	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	48122H5D1	Mercury; Sediment Bioassay	Data from the Dept. of Ecology SEDQUAL database (stations H=GPBASE99!AN-SS-A2; M=GPBASE99!AN-SS-B1; L=GPBASE99!AN-SS-C1) show the average of 3 samples exceeds the Sediment Management Standards CSL chemical criterion on 9/25/1999. Bellingham Bay TMDL approved 02-Jan-02.
1	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	48122H5E2	Sediment Bioassay	Data from the Dept. of Ecology SEDQUAL database (stations GPBASE93*D*D*9/9/1993; GPBASE93*D*D*9/9/1993;) show a significant response to sediment bioassay from samples tested in 1993. Bellingham Bay TMDL approved 02-Jan-02.
1	BELLINGHAM BAY (INNER) AND WHATCOM WATERWAY	48122H5F0	Mercury	Data from the Dept. of Ecology SEDQUAL database (stations H=WHATRI96!SS-17; M=WHATRI96!SS-16; L=BLGMMETL!BELL50) show the average of 3 samples exceeds the Sediment Management Standards SQS chemical Criterion on 9/4/1996. Bellingham Bay TMDL approved 02-Jan-02.